State of California AIR RESOURCES BOARD

EXECUTIVE ORDER DE-04-010

Pursuant to the authority vested in the Air Resources Board (ARB) by Health and Safety Code, Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code section 39515 and 39616 and Executive Order G-02-003:

Relating to Exemptions under section 27156 of the Vehicle Code, and Verification under sections 2700 through 2710 of Title 13 of the California Code of Regulations

Donaldson Company, Inc.'s

DCM Diesel Oxidation Catalyst (DOC) Muffler with Series 6000 catalyst formulation
and Spiracle™ Closed Crankcase Ventilation (CCV) Filtration System

ARB has reviewed Donaldson Company, Inc.'s request for verification of the DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System. Based on an evaluation of the data provided, and pursuant to the terms and conditions specified below, the Executive Officer of ARB hereby finds that the DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System reduces emissions of diesel particulate matter (PM) consistent with a Level 1 device (greater than or equal to 25 percent reductions) (Title 13 California Code of Regulations ("CCR") sections 2702 (f) and (g) and section 2708). Accordingly, the Executive Officer determines that the system merits verification and, subject to the terms and conditions specified below, classifies the DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System as a Level 1 system, for the applications listed in Table 1 and engine families listed in Attachment 1.

Table 1: Appropriate Applications for the DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System

Diesel Emission Control Strategy	Application
DCM DOC Muffler with Series 600 catalyst formulation and Spiracle™ C Filtration System	

The aforementioned verification is subject to the following terms and conditions:

- The engines are originally manufactured from model year 1988 through 1990 having the engine family numbers listed in Attachment 1.
- The engines are between 150 and 600 horsepower.
- The engines do not employ exhaust gas recirculation.
- The application must have a duty cycle with normal exhaust temperature profiles greater than 100 degrees Celsius and below 550 degrees Celsius.
- The engine must not have a pre-existing diesel particulate filter or diesel oxidation catalyst.
- The engine must be certified in California for on-road applications.
- The engine must be certified at a PM emission level of at most 0.6 grams per brake horsepower-hour (g/bhp-hr), and greater than 0.01 g/bhp-hr.
- The engine must be four-stroke.
- The engine must be turbocharged.
- The engine can be mechanically or electronically injected
- The engine should be well maintained and not consume lubricating oil at a rate greater than that specified by the engine manufacturer.
- Lube oil, or other oil, should not be mixed with the fuel.
- The engine must be operated on fuel that has a sulfur content of no more than 350 parts per million by weight.
- The other terms and conditions specified below.

IT IS ALSO ORDERED AND RESOLVED: That installation of the DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System, manufactured by Donaldson Company, Inc. of P.O. Box 1299, Minneapolis, Minnesota 55440-1299, has been found not to reduce the effectiveness of the applicable vehicle pollution control system, and therefore, the DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System is exempt from the prohibitions in section 27156 of the Vehicle Code for installation on heavy-duty on-road vehicles listed in Attachment 1.

This exemption is only valid provided the engines meet the aforementioned conditions.

The DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System consists of a diesel oxidation catalyst and a closed crankcase ventilation filtration system. The major components of the DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System are identified in Attachment 2. Replacement of the Spiracle™ filter is required at every oil change (maximum of 25,000 miles) or 500 hours of operation as specified in the owner's manual.

This Executive order is valid provided that installation instructions for the DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System do not recommend tuning the vehicle to specifications different from those of the vehicle manufacturer.

Changes made to the design or operating conditions of the DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System, as exempted by ARB, which adversely affect the performance of the vehicle's pollution control system, shall invalidate this Executive Order.

No changes are permitted to the device. The ARB must be notified in writing of any changes to any part of the DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System. Any changes to the system must be evaluated and approved by ARB. Failure to do so shall invalidate this Executive Order.

Marketing of the DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System using identification other than that shown in this Executive Order or for an application other than that listed in this Executive Order shall be prohibited unless prior approval is obtained from ARB.

This Executive Order shall not apply to any DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System advertised, offered for sale, sold with, or installed on a motor vehicle prior to or concurrent with transfer to an ultimate purchaser.

As specified in the Diesel Emission Control Strategy Verification Procedure (Title 13 CCR section 2706 (g)), the ARB assigns each Diesel Emission Control Strategy a family name. The designated family name for the verification as outlined above is: CA/DON/2004/PM1/N00/ON/SYS04.

Additionally, as stated in the Diesel Emission Control Strategy Verification Procedure, Donaldson Company, Inc. is responsible for honoring their warranty (section 2707) and conducting in-use compliance testing (section 2709).

In addition to the foregoing, ARB reserves the right in the future to review this Executive Order and the exemption and verification provided herein to assure that the exempted and verified add-on or modified part continues to meet the standards and procedures of California Code of Regulations, Title 13, section 2222, et seq and California Code of Regulations, Title 13, sections 2700 through 2710.

Systems verified under this Executive Order shall conform to all applicable California emissions regulations.

Violation of any of the above conditions shall be grounds for revocation of this Executive Order.

Executed at El Monte, California, this 8th day of September 2004.

//s//

Robert H. Cross, Chief Mobile Source Control Division

Attachment 1: ARB Approved Model Year 1988 to 1990 Engine Families for the DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System

Attachment 2: Part Numbers and Model Numbers of the DCM DOC Muffler with Series 6000 catalyst formulation and Spiracle™ CCV Filtration System